#### SEQUENCE LISTING

- (1) GENERAL INFORMATION:
- (i) APPLICANT: McGILL UNIVERSITY
- (ii) TITLE OF INVENTION: THE C. ELEGANS gro-1 GENE
- (iii) NUMBER OF SEQUENCES: 62
- (iv) CORRESPONDENCE ADDRESS:
  - (A) ADDRESSEE: SWABEY OGILVY RENAULT
  - (B) STREET: 1981 McGill College Avenue Suite 1600
  - (C) CITY: Montréal
  - (D) STATE: QC
- · (E) COUNTRY: Canada
- (F) ZIP: H3A 2Y3
- (v) COMPUTER READABLE FORM:
  - (A) MEDIUM TYPE: Diskette
  - (B) COMPUTER: IBM Compatible
  - (C) OPERATING SYSTEM: Windows
  - (D) SOFTWARE: FastSEQ for Windows Version 2.0b
- (vi) CURRENT APPLICATION DATA:
  - (A) APPLICATION NUMBER:
  - (B) FILING DATE:
  - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
  - (A) APPLICATION NUMBER: PCT/CA98/00803
  - (B) FILING DATE: 20-AUG-1998
- (vii) PRIOR APPLICATION DATA:
  - (A) APPLICATION NUMBER: CA 2,210,251
  - (B) FILING DATE: 25-AUG-1997
- (viii) ATTORNEY/AGENT INFORMATION:
  - (A) NAME: Côté, France
  - (B) REGISTRATION NUMBER: 4166
  - (C) REFERENCE/DOCKET NUMBER: 1770-179"US" FC/gc
- (ix) TELECOMMUNICATION INFORMATION:
  - (A) TELEPHONE: 514 845-7126
  - (B) TELEFAX: 514 288-8389
  - (C) TELEX:
  - (2) INFORMATION FOR SEQ ID NO:1:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 14458 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear


# (ii) MOLECULE TYPE: Genomic DNA


# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

GCAAAATTTG	CTAAGATGAA	GCGCCGGCTT	GTTACATTGC	TTTTCAGAGT	CGATTGGTTC	60
AAAATTGTCA	ATTTTATCCA	AAATAGAGTG	CATTGTGTGT	ACAATAACTA	AAGAATCATC	120
CATATCTGGT	CCAACACAAC	ATTGATGGAA	TACTGGATCA	ATTGTCTAAA	AAAATATCAA	180
TAGAATAATG	AAACATTTTC	AGAATTCATT	ACCGTCAATG	TCAGATAGTC	ATTCCTTGAG	240
TATTTTGTGG	ATGCTTTGAA	AATTCTTCGC	TGGGCCATAT	CTGTTGGATA	ATCTGAAAAA	300
CGCAATAAAT	TTCATCGAAA	ATGCCTATTA	AATTGAATTA	CCTTCTTCTT	CATCATTTCC	360
TAACAATTCA	TGCTCTTTTT	GTGCTTGACT	TGTGACCAAT	TCTTTAAATT	CAATTAAATC	420
GTCAATATCC	TTTTGTACTA	AATCCATCTT	GATATTCAAT	ATATCTTTGT	CAGTATAGTA	480
TTCAGCGTAT	CTGAAATTTC	GAATTTATTT	TTCTAATTCC	CAAGAAAAAT	AATTAATAAG	540
AATACCTTAA	CGAATTATTA	TCCAATATAT	CATCATTTGC	CACATCTGGA	AGACGCTGAG	600
GAACTGTTTG	AGCAGCTTGG	AGGTAGTCGT	CATCGTCTCT	GGAAATTGTT	ATTTTCAATT	660
TCAAAAAAAA	AACTTTACTT	ACGAAATATA	CTCATTTGAT	GCAATCCACG	GATCAAAACG	720
ACGTCTTTGC	ATCTTTGAAT	CATTTTCCGC	ATGGCACCGC	ATCACTTCTT	TCTTATGATT	780
ATTTTCTAAC	GTTTTTGAAA	ATTCGACGTG	CTCTTCACAA	CGGCCGCCAT	GTTTCGCAAG	840
TTCTTCTTTT	GATCGTATCT	AAAATTTTAA	ATTTGAAAAA	AAGCTTACTA	TCAAATTTTC	900
GTATTTTTC	TCACCTGCTT	ACACCGAACA	AGCGTTCGAT	ACGAAGCATA	ATTACATTGT	960
CCATACTTAT	TTTTGTCGTA	TTCATTGGCA	ACAAGACGGA	ATCGTGTTCC	AGGTGCAACT	1020
ATATATTGAG	CAGGAGGACG	AGTTGTTTGT	TTCATGCTGC	TTAAAAATAA	AAATGGAAAA	1080
TTGAGTCAAA	AAGTTGAGAT	AAAACAAATT	AAAACAATTT	TCTGAAAAAT	AAACAACTGA	1140
AATTTGAAGT	AATAAACAAC	ACGCGAAAAC	GTTATTTCGG	AGCATCGTTT	GAGAAGTAAA	1200
ACTTTTTTC	GGCGCACCCT	TGTGCGCAGT	TTTTATCTTC	TCTTTTAATT	TAATTTTCAA	1260
GCTAAATCTT	TCTTTTTAAA	CTTTGAATAA	ATATTTAAAT	ATTCAGAATG	CACCAATAAA	1320
CCTGGAACAA	AATCGATAAT	GTTCCGCAAG	CTTGGTTCTT	CTGGGTCACT	ATGGAAGCCG	1380
AAAAATCCGC	ATTCTTTGGA	ATACCTCAAA	TATTTACAAG	GAGTGCTCAC	AAAAAATGAG	1440
AAAGTTACGG	AAAACAATAA	GAAAATATTA	GTAGAAGCAT	TACGAGCTAT	CGCAGAAATT	1500
CTCATTTGGG	GCGATCAGAA	TGATGCTTCG	GTTTTTGAGT	GAGTTTTTTT	CCAATGTTTT	1560
TTTTCAAATC	TGATGTTGAA	TTTCAGTTTC	TTCCTTGAGC	GGCAAATGCT	TCTTTATTTC	1620
TTGAAAATTA	TGGAACAAGG	AAACACACCA	CTAAATGTAC	AATTACTGCA	GACTTTGAAC	1680
ATTTTATTCG	AAAATATTCG	ACATGAAACT	TCACTTTGTA	AGTTTTTTAT	ATGGATTTTC	1740
GCTTAAAATT	GCCAGTTTTC	AGATTTCCTT	CTAAGTAACA	ATCATGTAAA	CTCGATTATT	1800
TCCCACAAAT	TCGATTTACA	AAATGATGAG	ATCATGGCTT	ACTACATTAG	TTTTCTGAAA	1860
ACTCTTTCAT	TTAAACTGAA	TCCAGCTACA	ATCCACTTCT	TCTTCAATGA	AACGACTGAA	1920
GAATTTCCAT	TGTTGGTAGA	AGTTTTGAAG	CTTTATAATT	GGAATGAATC	AATGGTTCGA	1980
ATTGCTGTTA	GAAATATTCT	TTTAAATATT	GTGAGAGTTC	AAGATGATTC	AATGATTATT	2040
TTCGCTATCA	AGCATACAAA	AGTTAGTAGA	AAATTATTTT	GAAAAGGTGT	ATTTAAGCAA	2100
TAAATATTAC	AGGAATATCT	ATCGGAGTTA	ATAGATTCTC	TAGTTGGTCT	CTCACTTGAA	2160
ATGGACACAT	TTGTACGATC	TGCTGAGAAT	GTGTTAGCTA	ATCGAGAGAG	ATTACGAGGA	2220
AAAGTGGATG	ATTTAATTGA	TTTGATTCAT	TATATTGGTG	AACTATTGGA	TGTGGAAGCT	2280
GTCGCCGAAA	GTTTATCAAT	TTTAGGTCAG	TTTTACTGCT	GGAAAATCAA	GTTTTTAATG	2340
TTAAATTTTC	AGTAACAACA	CGATACTTAA	GCCCTCTATT	ACTTTCAAGT	ATATCACCAA	2400
GAAGAGATAA	TCATTCACTT	CTACTCACTC	CGATTTCTGC	GTTATTTTTT	TTCTCTGAAT	2460
TTTTATTGGT	GAGTTTTAAC	ATTTAAAATT	ACATTTTTCT	AATTTATTTA	TTTTTCAGAT	2520
AGTTCGTCAC	CATGAAACAA	TATATACATT	TTTATCATCT	TTCCTATTTG	ACACTCAGAA	2580
TACTTTGACG	ACCCATTGGA	TACGTCATAA	TGAGAAATAT	TGCTTAGAAC	CGATTACATT	2640
ATCATCACCA	ACCGGAGAAT	ATGTGAATGA	AGACCAGTAA	GAGCTGAAAT	TTTAAAATTT	2700
TTGCTTTGAA	TATAGTATTT	TCAGCGTATT	TTTCGATTTT	CTACTGGAAG	CATTTGATTC	2760
CAGTCAAGCA	GACGATTCGA	AGGCATTCTA	TGGATTAATG	CTGATTTATT	CAATGTTTCA	2820
GAATAATGGT	GAGTTTTAAA	AAATTGATTT	GTTAAATTAA	AATTTCCATT	TCCAATAACT	2880
CCTCTTCAGA	CAGTAAGTTT	TCAATGTTGT	AAAGTTCCTG	TTCATCTGTG	${\tt ATCGTTTTCT}.$	
TCATTTTTTT	AGTTTTGCAT	GAACAGTTTT	CAAATTTTTT	TGATATCATA	CAGTAAATAT	3000
CGTCATCCAG	ATAATTTTCT	${\tt ATTTAAAAAA}$	AATGAATAAA	AAGAGGGCGC	GCAGAAATTG	3060
CCGAAGTAAT	GTAAATTTAA	AGGGACACAT	GCGTAGCTTG	TTGTGTGGGT	CTCGCCGCGC	3120

TTTGTTTGAT	TTATCTTGTT	TTCTGCTCAA	AGAGCTGTTT	TTATTTTAGC	GTTGAATGCT	3180
				AAAAAAAGGT		3240
TTCGTTTTTA	. CAAAATCCAT	CTAAGATTTG	CATTTGTGAA	GCTCAACAAG	TAAAGTTTTA	3300
				CCGAAACATT		3360
CGATACTCTA	TAAAATATTC	CTCTTTTCAA	AATAAATTTT	CAAAAAAAAT	CCATTTTTCA	3420
GCCGATGTTG	GAGAACTTCT	ATCTGCTGCC	AACTTCCCAG	TGCTCAAAGA	ATCAACGACA	3480
ACTTCATTAG	CTCAACAGAA	TCTTGCTCGT	CTCCGAATAG	CATCTACGTC	TTCCATATCA	3540
AAGCGAACGA	GAGCTATCAC	TGAAATTGGA	GTAGAAGCGA	CCGAGGAAGA	TGAGATTTTT	3600
CATGATGTTC	CTGAAGAACA	AACGTTGGTA	AGTAAATAAA	TCAACATTGA	TTGTTACACA	3660
AACTTTAATA	TTTTAAATT	TGAAAATTTT	CTTCAAAGTG	CTCAAAAATC	CTGTCGAAAA	3720
TTACAGGAAG	ATCTGGTGGA	TGATGTATTG	GTTGATACTG	AAAATTCAGC	AATAAGTGAT	3780
CCAGAAGTGA	GTAGAAAACG	TGCATGTATT	AATTATTAAA	AAAAAATAT	AGTTTTCCCC	3840
AGTTTTCCTT	GACCTAAAAC	TCAGCAATTT	CAGCCTAAAA	ACGTGGAGTC	AGAATCTCGT	3900
TCTCGATTTC	AATCTGCTGT	TGATGAGCTT	CCACCTCCGT	CGACTTCTGG	ATGTGATGGT	. 3960
CGACTTTTTG	ATGCACTTTC	ATCGATTATC	AAAGCAGTTG	GAACAGATGA	CAATCGAATT	4020
CGACCAATTA	CATTGGAACT	TGCATGTCTT	GTAATTCGGC	AAATTTTAAT	GACTGTTGAT	4080
GATGAAAAAG	TAAGATTACA	AATTCAAAAT	TGAGCAAAAT	CAGAATCTAA	ATTTCATAAA	4140
TTGTTCAGGT	ACATACCAGT	TTAACGAAAT	TATGCTTCGA	AGTTCGTCTA	AAACTTTTAT	4200
CATCAATTGG	ACAATATGTT	AATGGAGAGA	ATCTGTTTTT	GGAGTGGTTT	GAGGATGAAT	4260
ATGCAGAATT	TGAAGTAAGC	CAAGAGGTCC	GAAAATAATT	TAATTCATCC	TTTTTATTCA	4320
GGTGAATCAC	GTGAATTTCG	ATATAATCGG	TCACGAAATG	CTTCTTCCTC	CAGCTGCAAC	4380
TCCTCTTTCG	AATCTGCTAC	TTCATAAGCG	ATTGCCCAGT	GGATTTGAAG	AACGAATAAG	4440
				TATATTTGCA		4500
				GTGAAGGAGA		4560
CCTGTGAGAG	TGTTGAATTC	TGATCAGGAA	CCAGTTGCCA	TCGGTGATTG	TATTAATTTA	4620
CGTGAGTTCA	TCTGCATAGA	AAACACCATA	TTTCTACTCA	AATTAACAAT	TTTCAGATAA	4680
TTCGGATCTT	CTATCCTGCA	CTGTGGTTCC	TCAACAACTA	TGTTCTCTTG	GAAAACCTGG	4740
TGATCGTCTT	GCTCGATTCC	TTGTCACTGA	TAGACTTCAA	TTAATTCTTG	TCGAACCGGA	4800
TTCTCGAAAA	GCCGGATGGG	CAATTGTTCG	ATTCGTAGGA	CTTCTTCAAG	ATACAACAAT	4860
				GTGGAAGGGC		4920
				ATTACTTCTG		4980
				CATTCGGTGT		5040
AGCAACGGCT	CACCAAGGTA	ACGGAAAAAA	TAACCAAAAA	GACGGAAAGT	TATTGTAAAT	5100
GGACGAAATC	GGCGAAATTA	ATTGAAAACG	TTTGAATTTG	CCGCTAAAAC	CAAACGAAAA	5160
CCAAACGAAA	GCGAAATTTA	ACTATCCCTT	CAGGTAGAAT	ATACATTTTA	TTTCTCTTTA	5220
TAGGGTCGCC	AAACAGCACG	TGGTCTGAAA	CTTCAGGCGA	TATGTTCAGC	TCTTGGAGTT	5280
CCACGTATCG	ATCCAGCGAC	AATGACGTCA	TCACCACGAA	TGAATCCATT	CAGAATTGTG	5340
				CATCATCATC		5400
GGACGTCCCG	GACATTATTC	TGCAAATCTT	AGATCAGCAT	CTAGAAATGC	AGGAATGATA	5460
				GATCCTAGGG		- 5520
CTTCAGTTTC	ATCATTTTAT	GCTGTAAATT	GTATTTAAGT	ATTCCTATTC	TTTGTAGTAC	5580
TGTATTTACA	CATCGTCTAG	TTAAAATCAC	AAATCTCCGA	AAAAACAAAC	CAGTGAACAT	5640
GTGATATTTC	TCTTGCCCAT	AGTTCTCTTT	TTTTTTTGAA	ACAAAAACAA	TTACTTTTAT	5700
GCTCACCTAT	TCGAGCCATA	TTTTTTTCCC	AATTACCGGT	TGTTTATTTT	AATTTCTTTT	5760
TTTTTTCTGT	AAATCTACTT	TATTTTTAAA	ACTGCATTTG	AGATTGTGTA	TATTTTTCA	5820
AAATGGTTCA	AATGCCGAAT	CTATCTACTT	TTTAATCATT	ATTCAAACAG	AAAAACCGAT	5880
				ATCTTCCATC		5940
GAAGCTTCAG	AAGAGCCATC	ACCTCAAACT	GGACCAAATG	TGAATCAAAA	ACCATCGATT	6000
TTGGTTCTTG	GAATGGCTGG	TTCTGGAAAA	ACGACATTTG	TTCAGGTAAC	TTTCATTCAA	6060
TTTTGAGAGT	TTTCAAACAT	TACTATTTTC	AGCGTCTCAC	AGCATTCCTA	CATGCTCGTA	6120
AAACACCTCC	ATATGTGATT	AATCTGGATC	CGGCAGTTAG	CAAAGTACCT	TATCCAGTGA	6180
ATGTTGACAT	TCGAGATACT	GTGAAATACA	AGGAAGTTAT	GAAAGAATTC	GGAATGGGAC	6240
CAAATGGAGC	AATTATGACA	TGTCTTAACC	TGATGTGTAC	TCGTTTTGAT	AAAGTAATTG	6300
AGTTGATTAA	TAAGAGATCT	TCTGATTTCT	CAGTTTGTCT	TCTTGATACT	CCTGGACAAA	6360
TTGAAGCATT	CACTTGGAGT	GCTAGTGGAT	CTATTATCAC	TGATTCATTG	GCAAGTAGCC	6420
ATCCCACGGT	AAGGGATTTT	GATTTATGAA	ATCTGCTTGA	AATGAAAAA	GATTCTAATA	6480

		TTTTTACAGT				6540
CAAAATGAAA	AGTCGATTCT	ACTCCATATT	TATTAATTTC	GACTTTTCAG	GTGGTAATGT	6600
ACATTGTGGA	TTCCGCTCGT	GCCACAAATC	CAACTACATT	CATGTCCAAT	ATGCTCTACG	6660
CATGTTCCAT	TCTCTACCGT	ACCAAACTTC	CATTCATTGT	CGTTTTCAAC	AAAGCTGATA	6720
TTGTCAAACC	AACATTTGCA	CTCAAATGGA	TGCAAGATTT	CGAAAGATTT	GATGAAGCTT	6780
		TATATGAATG				6840
		AAAACAGGTT				6900
		TTCTGCAACT				6960
		ATACAAAAA				7020
		TGAGGAGGAG				7080
		TTCAAATTTT				7140
		CGACGAATTT				7200
		CGATGAAGAG				7260
		AATTTTTATT				7320
		TTACATTTTA				7380
		AAATGGTTTT				7440
		AAAAGGTTCC				7500
		CTTCGCTTGA				7560
		CTGAAAAGAC				7620
		TCGTCGAAGC				7620
		AGGTACTACC				
•		AATTCAACTT				7740
		CTTGTTCATA				7800
						7860
		GCAGTTGCTC				7920
		GTTCGAGAAC				7980
		GCGGATGTCA				8040
		ACACAGTATA				8100
		TCTCCCAATA				8160
		AAATAGCCTT				8220
		CAATTTCCAA				8280
		TTCTATCACT				8340
		AATTTCCTAA				8400
		CATTCCTGGG				8460
		ATATGCCATG				8520
		AACTATGGAA				8580
		GTTTTGTCCA				8640
ACACTTCGTG	CCACTCGAGA	TGCCGCATTT	TCAGTTCGTG	AACAAGCCGG	ACACACTTTG	8700
AAATTCTCGT		TGTAGCTGTT				8760
CGTGGAATTC	TTGGTAAGAG	TAACAACGAC	TATTTTTAAA	AAATATCTTT	TTCGAAAAAA	8820
		TATTATGTAC				8880
		GTAAAAAATT				8940
CGTACCAACC	GGAAAATGTT	TCATTAATTT	CTCTTCCTTT	TTTCAGCTCG	TTTTGCTCAA	9000
		TGATGCGTCA				9060
		ATTTCAAATT				9120
TCTTCCACTC	GGTTTCATTC	TTGCCGCCTC	ATTCCAAGCG	AAACATTTGA	AAGGACTCGG	9180
AGATCGAGAA	GTTCATATTT	TGGATAGATG	TTATTTGGGT	GGACAACAGG	ATGTTCGAGG	9240
ATTTGGTCTG	AATACTATTG	GAGTGAGTTT	TAACGAAATT	CTCTTGAAAG	TCAAATAATC	9300
ATTTTCAGGT	TAAAGCAGAT	AACAGTTGTC	TTGGAGGAGG	TGCTTCACTT	GCTGGTGTCG	9360
TTCATTTGTA	TCGGCCATTG	ATTCCACCAA	ATATGCTATT	TGCACACGCA	TTCCTTGCAT	9420
		CATTCCAAAA				9480
		GAGTTTGAAA				9540
TTAAAAATAG	ATCAGCTTTA	TTTATTTGAA	AAAAAACGCT	CATTAATCAA	TAGTGATAGT	9600
		CTTCCTCGCG				9660
		TCTTCTCATC				9720
		ATGCAGACTA				9780
		CCAATAATTA				9840
•	·	<b>-</b>	·			





## (2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 430 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Ile Phe Arq Lys Phe Leu Asn Phe Leu Lys Pro Tyr Lys Met Arg. Thr Asp Pro Ile Ile Phe Val Ile Gly Cys Thr Gly Thr Gly Lys Ser 25 Asp Leu Gly Val Ala Ile Ala Lys Lys Tyr Gly Gly Val Ile Ser Val Asp Ser Met Gln Phe Tyr Lys Gly Leu Asp Ile Ala Thr Asn Lys 55 Ile Thr Glu Glu Glu Ser Glu Gly Ile Gln His His Met Met Ser Phe 70 75 Leu Asn Pro Ser Glu Ser Ser Ser Tyr Asn Val His Ser Phe Arg Glu 90 Val Thr Leu Asp Leu Ile Lys Lys Ile Arg Ala Arg Ser Lys Ile Pro 105 Val Ile Val Gly Gly Thr Thr Tyr Tyr Ala Glu Ser Val Leu Tyr Glu 120 Asn Asn Leu Ile Glu Thr Asn Thr Ser Asp Asp Val Asp Ser Lys Ser 135 Arg Thr Ser Ser Glu Ser Ser Glu Asp Thr Glu Glu Gly Ile Ser 150 155 Asn Gln Glu Leu Trp Asp Glu Leu Lys Lys Ile Asp Glu Lys Ser Ala

				165					170					175	
Leu	Leu	Leu	His 180	Pro	Asn	Asn	Arg	Tyr 185	Arg	Val	Gln	Arg	Ala 190	Leu	Gln
Ile	Phe	Arg 195	Glu	Thr	Gly	Ile	Arg 200	Lys	Ser	Glu	Leu	Val 205	Glu	Lys	Gln
Lys	Ser 210	Asp	Glu	Thr	Val	Asp 215	Leu	Gly	Gly	Arg	Leu 220	Arg	Phe	Asp	Asn
Ser 225	Leu	Val	Ile	Phe	Met 230	Asp	Ala	Thr	Pro	Glu 235	Val	Leu	Glu	Glu	Arg 240
Leu	Asp	Gly	Arg	Val 245	Asp	Lys	Met	Ile	Lys 250	Leu	Gly	Leu	Lys	Asn 255	Glu
Leu	Ile	Glu	Phe 260	Tyr	Asn	Glu	His	Ala 265	Glu	Tyr	Ile	Asn	His 270	Ser	Lys
Tyr	Gly	Val 275	Met	Gln	Cys	Ile	Gly 280	Leu	Lys	Glu	Phe	Val 285	Pro	Trp	Leu
Asn	Leu 290	Asp	Pro	Ser	Glu	Arg 295	Asp	Thr	Leu	Asn	Gly 300	Asp	Lys	Leu	Phe
Lys 305	Gln	Gly	Cys	Asp	Asp 310	Val	Lys	Leu	His	Thr 315	Arg	Gln	Tyr	Ala	Arg 320
Arg	Gln	Arg	Arg	Trp 325	Tyr	Arg	Ser	Arg	Leu 330	Leu	Lys	Arg	Ser	Asp 335	Gly
Asp	Arg	Lys	Met 340	Ala	Ser	Thr	Lys	Met 345	Leu	Asp	Thr	Ser	Asp 350	Lys	Tyr
Arg	Ile	Ile 355	Ser	Asp	Gly	Met	Asp 360	Ile	Val	Asp	Gln	Trp 365	Met	Asn	Gly
Ile	Asp 370	Leu	Phe	Glu	Asp	Ile 375	Ser	Thr	Asp	Thr	Asn 380	Pro	Ile	Leu	Lys
Gly 385	Ser	Asp	Ala	Asn	Ile 390	Leu	Leu	Asn	Cys	Glu 395	Ile	Cys	Asn	Ile	Ser 400
Met	Thr	Gly	Lys	Asp 405	Asn	Trp	Gln	Lys	His 410	Ile	Asp	Gly	Lys	Lys 415	His
Lys	His	His		_	Gln	_	Lys		Ala			Arg	Thr		

## (2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 2041 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CTGCCATAAG	ATGGCGTCCG	TGGCGGCTGC	ACGAGCAGTT	CCTGTGGGCA	GTGGGCTCAG	60
GGGCCTGCAA	CGGACCCTAC	CTCTTGTAGT	GATTCTCGGG	GCCACGGGCA	CCGGCAAATC	120
CACGCTGGCG	TTGCAGCTAG	GCCAGCGGCT	CGGCGGTGAG	ATCGTCAGCG	CTGACTCCAT	180
GCAGGTCTAT	GAAGGCCTAG	ACATCATCAC	CAACAAGGTT	TCTGCCCAAG	AGCAGAGAAT	240
CTGCCGGCAC	CACATGATCA	GCTTTGTGGA	TCCTCTTGTG	ACCAATTACA	CAGTGGTGGA	300
CTTCAGAAAT	AGAGCAACTG	CTCTGATTGA	AGATATATTT	GCCCGAGACA	AAATTCCTAT	360
TGTTGTGGGA	GGAACCAATT	ATTACATTGA	ATCTCTGCTC	TGGAAAGTTC	TTGTCAATAC	420
CAAGCCCCAG	GAGATGGGCA	CTGAGAAAGT	GATTGACCGA	AAAGTGGAGC	TTGAAAAGGA	480
GGATGGTCTT	GTACTTCACA	AACGCCTAAG	CCAGGTGGAC	CCAGAAATGG	CTGCCAAGCT	540

man bearing the second of the

GCATCCACAT GACAAACGCA AAGTGGCCAG GAGCTTGCAA GTTTTTGAAG AAACAGGAAT 600 CTCTCATAGT GAATTTCTCC ATCGTCAACA TACGGAAGAA GGTGGTGGTC CCCTTGGAGG TCCTCTGAAG TTCTCTAACC CTTGCATCCT TTGGCTTCAT GCTGACCAGG CAGTTCTAGA TGAGCGCTTG GATAAGAGGG TGGATGACAT GCTTGCTGCT GGGCTCTTGG AGGAACTAAG AGATTTTCAC AGACGCTATA ATCAGAAGAA TGTTTCGGAA AATAGCCAGG ACTATCAACA TGGTATCTTC CAATCAATTG GCTTCAAGGA ATTTCACGAG TACCTGATCA CTGAGGGAAA ATGCACACTG GAGACTAGTA ACCAGCTTCT AAAGAAAGGA CCTGGTCCCA TTGTCCCCCC TGTCTATGGC TTAGAGGTAT CTGATGTCTC GAAGTGGGAG GAGTCTGTTC TTGAACCTGC TCTTGAAATC GTGCAAAGTT TCATCCAGGG CCACAAGCCT ACAGCCACTC CAATAAAGAT GCCATACAAT GAAGCTGAGA ACAAGAGAAG TTATCACCTG TGTGACCTCT GTGATCGAAT CATCATTGGG GATCGCGAAT GGGCAGCGCA CATAAAATCC AAATCCCACT TGAACCAACT GAAGAAAGA AGAAGATTGG ACTCAGATGC TGTCAACACC ATAGAAAGTC AGAGTGTTTC CCCAGACTAT AACAAAGAAC CTAAAGGGAA GGGATCCCCA GGGCAGAATG ATCAAGAGCT GAAATGCAGC GTTTAAGAGA CATGTCCAGT GGCCTTTGGA AAGGTGGTGG GGATCCAGTT CAGGAGGAG GGGTATGTTT GTCTCCCAGT CTGGGCAAAG GAGTGCTATG CGGAATTCTC TGCATAGCAG AAAAGCTCCC ACCATTTTCT TTTGATGTGG TTTTAAAGTC TCACGTTCTC TATAATAGAA ACAGCAGGTC TTGTCAGCTC CTTGTGTGGC TGATGTGTCT GGAAATGATG TAGTTCAGGA AAGCATTTTT TTTTTCTTTG AACCTTAAAG GTTCTATTAT TAAAAGCAGC ACAGATTCCA CATTTTATA CATGAGGATC TTCTTTGTGG TGAATACCAG GATTGACTGC ATCCCTTTAA AAGAAGTTTT ATGTCCCTGA CTCTGGCTAA AATTATCTAA TTTCCAGATG CTTTTGTAGA TGACTGAAGT ATTTGTGAGC CACATATTGG GAGTTCTAGA TTTGAGTGAA TGGCAGGAAA GGGCCATCTC CATTGAGATG ATTAAGTGAA CCAAACTAGT TCTCGGAATT CTACAGAGAA GGAGGGAATC AGACTGAGGA AGCTGTGACA TAGGACTTGA AGACCAAAGA CTTTGAAATT TGCGAGCTGC TCATGTGTGA GTTATTATCA CTGCTGTCTT TCTATTGAGT TACAAATCTA TATTTTATT GAAGTTTAAA TAAAGAAAAA ATTTACAAGA AAAAAAAAA 2040

#### (2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 892 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Phe Arg Lys Leu Gly Ser Ser Gly Ser Leu Trp Lys Pro Lys Asn 10 Pro His Ser Leu Glu Tyr Leu Lys Tyr Leu Gln Gly Val Leu Thr Lys 25 Asn Glu Lys Val Thr Glu Asn Asn Lys Lys Ile Leu Val Glu Ala Leu 40 Arg Ala Ile Ala Glu Ile Leu Ile Trp Gly Asp Gln Asn Asp Ala Ser 55 Val Phe Asp Phe Phe Leu Glu Arg Gln Met Leu Leu Tyr Phe Leu Lys 70 75 Ile Met Glu Gln Gly Asn Thr Pro Leu Asn Val Gln Leu Leu Gln Thr . 90 Leu Asn Ile Leu Phe Glu Asn Ile Arg His Glu Thr Ser Leu Tyr Phe 105 Leu Leu Ser Asn Asn His Val Asn Ser Ile Ile Ser His Lys Phe Asp

a to the title of where I was bearing you . . .

Leu Gln Asn Asp Glu Ile Met Ala Tyr Tyr Ile Ser Phe Leu Lys Thr Leu Ser Phe Lys Leu Asn Pro Ala Thr Ile His Phe Phe Phe Asn Glu Thr Thr Glu Glu Phe Pro Leu Leu Val Glu Val Leu Lys Leu Tyr Asn Trp Asn Glu Ser Met Val Arg Ile Ala Val Arg Asn Ile Leu Leu Asn Ile Val Arg Val Gln Asp Asp Ser Met Ile Ile Phe Ala Ile Lys His Thr Lys Glu Tyr Leu Ser Glu Leu Ile Asp Ser Leu Val Gly Leu Ser Leu Glu Met Asp Thr Phe Val Arg Ser Ala Glu Asn Val Leu Ala Asn Arg Glu Arg Leu Arg Gly Lys Val Asp Asp Leu Ile Asp Leu Ile His Tyr Ile Gly Glu Leu Leu Asp Val Glu Ala Val Ala Glu Ser Leu Ser Ile Leu Val Thr Thr Arg Tyr Leu Ser Pro Leu Leu Leu Ser Ser Ile Ser Pro Arg Arg Asp Asn His Ser Leu Leu Leu Thr Pro Ile Ser Ala Leu Phe Phe Phe Ser Glu Phe Leu Leu Ile Val Arg His His Glu Thr Ile Tyr Thr Phe Leu Ser Ser Phe Leu Phe Asp Thr Gln Asn Thr Leu Thr Thr His Trp Ile Arg His Asn Glu Lys Tyr Cys Leu Glu Pro Ile Thr Leu Ser Ser Pro Thr Gly Glu Tyr Val Asn Glu Asp His Val Phe Phe Asp Phe Leu Leu Glu Ala Phe Asp Ser Ser Gln Ala Asp Asp Ser Lys Ala Phe Tyr Gly Leu Met Leu Ile Tyr Ser Met Phe Gln Asn Asn Ala Asp Val Gly Glu Leu Leu Ser Ala Ala Asn Phe Pro Val Leu Lys Glu Ser Thr Thr Thr Ser Leu Ala Gln Gln Asn Leu Ala Arg Leu Arg Ile Ala Ser Thr Ser Ser Ile Ser Lys Arg Thr Arg Ala Ile Thr Glu Ile Gly Val Glu Ala Thr Glu Glu Asp Glu Ile Phe His Asp Val Pro Glu Glu Gln Thr Leu Glu Asp Leu Val Asp Asp Val Leu Val Asp Thr Glu Asn Ser Ala Ile Ser Asp Pro Glu Pro Lys Asn Val Glu Ser Glu Ser Arg Ser Arg Phe Gln Ser Ala Val Asp Glu Leu Pro Pro Pro Ser Thr Ser Gly Cys Asp Gly Arg Leu Phe Asp Ala Leu Ser Ser Ile Ile Lys Ala Val Gly Thr Asp Asp Asn Arg Ile Arg Pro Ile Thr Leu Glu Leu Ala Cys Leu Val Ile Arg Gln Ile Leu Met Thr Val Asp Asp Glu Lys Val His Thr Ser Leu Thr Lys Leu Cys Phe Glu Val Arg Leu Lys 

Leu Leu Ser Ser Ile Gly Gln Tyr Val Asn Gly Glu Asn Leu Phe Leu 580 585 Glu Trp Phe Glu Asp Glu Tyr Ala Glu Phe Glu Val Asn His Val Asn 595 600 605 Phe Asp Ile Ile Gly His Glu Met Leu Leu Pro Pro Ala Ala Thr Pro 615 620 Leu Ser Asn Leu Leu His Lys Arg Leu Pro Ser Gly Phe Glu Glu 630 635 Arg Ile Arg Thr Gln Ile Val Phe Tyr Leu His Ile Arg Lys Leu Glu 650 Arg Asp Leu Thr Gly Glu Gly Asp Thr Glu Leu Pro Val Arg Val Leu 665 Asn Ser Asp Gln Glu Pro Val Ala Ile Gly Asp Cys Ile Asn Leu His 680 Asn Ser Asp Leu Leu Ser Cys Thr Val Val Pro Gln Gln Leu Cys Ser 695 700 Leu Gly Lys Pro Gly Asp Arg Leu Ala Arg Phe Leu Val Thr Asp Arg 710 715 Leu Gln Leu Ile Leu Val Glu Pro Asp Ser Arg Lys Ala Gly Trp Ala 730 725 735 Ile Val Arg Phe Val Gly Leu Leu Gln Asp Thr Thr Ile Asn Gly Asp 745 740 Ser Thr Asp Ser Lys Val Leu His Val Val Glu Gly Gln Pro Ser 760 765 Arg Ile Lys Lys Arg His Pro Val Leu Thr Ala Lys Phe Ile Phe Asp 775 780 Asp His Ile Arg Cys Met Ala Ala Lys Gln Arg Leu Thr Lys Gly Arg 790 795 Gln Thr Ala Arg Gly Leu Lys Leu Gln Ala Ile Cys Ser Ala Leu Gly 805 810 Val Pro Arg Ile Asp Pro Ala Thr Met Thr Ser Ser Pro Arg Met Asn 820 825 Pro Phe Arg Ile Val Lys Gly Cys Ala Pro Gly Ser Val Arg Lys Thr 840 835 Val Ser Thr Ser Ser Ser Ser Gln Gly Arg Pro Gly His Tyr Ser 855 860 Ala Asn Leu Arg Ser Ala Ser Arg Asn Ala Gly Met Ile Pro Asp Asp 875 870 Pro Thr Gln Pro Ser Ser Ser Ser Glu Arg Arg Ser 885 890

#### (2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 355 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Met Ala Glu Lys Ala Glu Asn Leu Pro Ser Ser Ser Ala Glu Ala Ser

1 10 15

Glu Glu Pro Ser Pro Gln Thr Gly Pro Asn Val Asn Gln Lys Pro Ser 25 Ile Leu Val Leu Gly Met Ala Gly Ser Gly Lys Thr Thr Phe Val Gln Arg Leu Thr Ala Phe Leu His Ala Arg Lys Thr Pro Pro Tyr Val Ile 60 Asn Leu Asp Pro Ala Val Ser Lys Val Pro Tyr Pro Val Asn Val Asp 75 Ile Arg Asp Thr Val Lys Tyr Lys Glu Val Met Lys Glu Phe Gly Met 85 90 Gly Pro Asn Gly Ala Ile Met Thr Cys Leu Asn Leu Met Cys Thr Arg 105 100 Phe Asp Lys Val Ile Glu Leu Ile Asn Lys Arg Ser Ser Asp Phe Ser 120 Val Cys Leu Leu Asp Thr Pro Gly Gln Ile Glu Ala Phe Thr Trp Ser 140 135 Ala Ser Gly Ser Ile Ile Thr Asp Ser Leu Ala Ser Ser His Pro Thr 150 155 Val Val Met Tyr Ile Val Asp Ser Ala Arg Ala Thr Asn Pro Thr Thr 170 165 Phe Met Ser Asn Met Leu Tyr Ala Cys Ser Ile Leu Tyr Arg Thr Lys 190 180 185 Leu Pro Phe Ile Val Val Phe Asn Lys Ala Asp Ile Val Lys Pro Thr 205 200 Phe Ala Leu Lys Trp Met Gln Asp Phe Glu Arg Phe Asp Glu Ala Leu 215 220 Glu Asp Ala Arg Ser Ser Tyr Met Asn Asp Leu Ser Arg Ser Leu Ser 230 235 Leu Val Leu Asp Glu Phe Tyr Cys Gly Leu Lys Thr Val Cys Val Ser 250 Ser Ala Thr Gly Glu Gly Phe Glu Asp Val Met Thr Ala Ile Asp Glu 265 270 Ser Val Glu Ala Tyr Lys Lys Glu Tyr Val Pro Met Tyr Glu Lys Val 280 Leu Ala Glu Lys Lys Leu Leu Asp Glu Glu Glu Arg Lys Lys Arg Asp 295 300 Glu Glu Thr Leu Lys Gly Lys Ala Val His Asp Leu Asn Lys Val Ala 315 310 Asn Pro Asp Glu Phe Leu Glu Ser Glu Leu Asn Ser Lys Ile Asp Arg 330 325 Ile His Leu Gly Gly Val Asp Glu Glu Asp Glu Glu Asp Ala Glu Leu 345 Glu Arg Ser 355

## (2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 434 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

からか・ ・ ・ が、ひずた ANA かぎか!本

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Ser Glu Lys Thr Phe His Lys Ala Gln Thr Ile Arg Ala Lys Ala 10 Ser Gly Val Pro Ser Ile Val Glu Ala Val Gln Phe His Gly Val Arg 20 25 Ile Thr Lys Asn Asp Ala Leu Val Lys Glu Val Ser Glu Leu Tyr Arg 40 Ser Lys Asn Leu Asp Glu Leu Val His Asn Ser His Leu Ala Ala Arg 55 His Leu Gln Glu Val Gly Leu Met Asp Asn Ala Val Ala Leu Ile Asp Thr Ser Pro Ser Ser Asn Glu Gly Tyr Val Val Asn Phe Leu Val Arg 85 Glu Pro Lys Ser Phe Thr Ala Gly Val Lys Ala Gly Val Ser Thr Asn 105 Gly Asp Ala Asp Val Ser Leu Asn Ala Gly Lys Gln Ser Val Gly Gly 120 Arg Gly Glu Ala Ile Asn Thr Gln Tyr Thr Tyr Thr Val Lys Gly Asp 140 135 His Cys Phe Asn Ile Ser Ala Ile Lys Pro Phe Leu Gly Trp Gln Lys 155 150 Tyr Ser Asn Val Ser Ala Thr Leu Tyr Arg Ser Leu Ala His Met Pro 170 165 Trp Asn Gln Ser Asp Val Asp Glu Asn Ala Ala Val Leu Ala Tyr Asn 185 Gly Gln Leu Trp Asn Gln Lys Leu Leu His Gln Val Lys Leu Asn Ala 200 205 Ile Trp Arg Thr Leu Arg Ala Thr Arg Asp Ala Ala Phe Ser Val Arg 220 215 Glu Gln Ala Gly His Thr Leu Lys Phe Ser Leu Glu Asn Ala Val Ala 235 Val Asp Thr Arg Asp Arg Pro Ile Leu Ala Ser Arg Gly Ile Leu Ala 245 250 Arg Phe Ala Gln Glu Tyr Ala Gly Val Phe Gly Asp Ala Ser Phe Val 265 Lys Asn Thr Leu Asp Leu Gln Ala Ala Pro Leu Pro Leu Gly Phe 280 Ile Leu Ala Ala Ser Phe Gln Ala Lys His Leu Lys Gly Leu Gly Asp 295 300 Arg Glu Val His Ile Leu Asp Arg Cys Tyr Leu Gly Gly Gln Gln Asp 310 315 Val Arg Gly Phe Gly Leu Asn Thr Ile Gly Val Lys Ala Asp Asn Ser 330 325 Cys Leu Gly Gly Gly Ala Ser Leu Ala Gly Val Val His Leu Tyr Arg 345 Pro Leu Ile Pro Pro Asn Met Leu Phe Ala His Ala Phe Leu Ala Ser 360 365 Gly Ser Val Ala Ser Val His Ser Lys Asn Leu Val Gln Gln Leu Gln 380 375 Asp Thr Gln Arg Val Ser Ala Gly Phe Gly Leu Ala Phe Val Phe Lys 390 395 Ser Ile Phe Arg Leu Glu Leu Asn Tyr Thr Tyr Pro Leu Lys Tyr Val 410 Leu Gly Asp Ser Leu Leu Gly Gly Phe His Ile Gly Ala Gly Val Asn

## Phe Leu

AND A SHOTER PORCES

- (2) INFORMATION FOR SEQ ID NO:7:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 198 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Met Leu Tyr Ile Leu Trp Lys Leu Asn Tyr Leu Gln Lys Lys Met Ser 1 Leu Arg Lys Ile Asn Phe Val Thr Gly Asn Val Lys Lys Leu Glu Glu 20 Val Lys Ala Ile Leu Lys Asn Phe Glu Val Ser Asn Val Asp Val Asp Leu Asp Glu Phe Gln Gly Glu Pro Glu Phe Ile Ala Glu Arg Lys Cys 55 Arg Glu Ala Val Glu Ala Val Lys Gly Pro Val Leu Val Glu Asp Thr 70 Ser Leu Cys Phe Asn Ala Met Gly Gly Leu Pro Gly Pro Tyr Ile Lys 90 85 Trp Phe Leu Lys Asn Leu Lys Pro Glu Gly Leu His Asn Met Leu Ala 105 100 Gly Phe Ser Asp Lys Thr Ala Tyr Ala Gln Cys Ile Phe Ala Tyr Thr 115 120 Glu Gly Leu Gly Lys Pro Ile His Val Phe Ala Gly Lys Cys Pro Gly 135 Gln Ile Val Ala Pro Arg Gly Asp Thr Ala Phe Gly Trp Asp Pro Cys 155 150 Phe Gln Pro Asp Gly Phe Lys Glu Thr Phe Gly Glu Met Asp Lys Asp 165 170 Val Lys Asn Glu Ile Ser His Arg Ala Lys Ala Leu Glu Leu Leu Lys 185 Glu Tyr Phe Gln Asn Asn 195

- (2) INFORMATION FOR SEQ ID NO:8:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 20 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
GATAGTTCCC TTCGTTCGGG	20
(2) INFORMATION FOR SEQ ID NO:10:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	
TTTCTGGATT TTAACCTTCC	20
(2) INFORMATION FOR SEQ ID NO:11:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:	
TTTCCGAGAA GTCACGTTGG	20
(2) INFORMATION FOR SEQ ID NO:12:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:	
TACAGGAATT TTTGAACGGG	20
•	

(2) INFORMATION FOR SEQ ID NO:13:

<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:	
CTTCAGATGA CGTGGATTCC	20
(2) INFORMATION FOR SEQ ID NO:14:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:	
GGAATCCGAA AAAGTGAACT	20
(2) INFORMATION FOR SEQ ID NO:15:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	·
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:	
AAGAGATACA CTCAATGGGG	20
(2) INFORMATION FOR SEQ ID NO:16:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:	
ATCGATACCA CCGTCTCTGG	20

(2) INFORMATION FOR SEQ ID NO:17:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:	
TTGAATCTAC ACTAATCACC	20
(2) INFORMATION FOR SEQ ID NO:18:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:	
CCAATTATCT TTTCCAGTCA	20
(2) INFORMATION FOR SEQ ID NO:19:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:	
ACATTATAAA GTTACTGTCC	20
(2) INFORMATION FOR SEQ ID NO:20:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:	
TTTTAGTTAA AGCATTGACC	20

(2) INFORMATION FOR SEQ ID NO:21:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:	
ACATCTTTAT CCATTTCTCC	20
(2) INFORMATION FOR SEQ ID NO:22:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:	
TGCAAAGGCT CTGGAACTCC	20
(2) INFORMATION FOR SEQ ID NO:23:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:	
AAAAACCACT TGATATAAGG	20
(2) INFORMATION FOR SEQ ID NO:24:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:	
CATCCAAAAG CAGTATCACC	20

(2) INFORMATION FOR SEQ ID NO:25:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 21 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:	
TTAATTGGAT GCAAGCACCC C	21
(2) INFORMATION FOR SEQ ID NO:26:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:	
ATTACTATAC GAACATTTCC	20
(2) INFORMATION FOR SEQ ID NO:27:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:	
TTGTAAAGGC GTTAGTTTGG	20
(2) INFORMATION FOR SEQ ID NO:28:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:	
CAGGAGTATT TGGTGATGCG	20

(2) INFORMATION FOR SEQ ID NO:29:

<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:	
CGACGGGGAG AAGGTGACGG	20
(2) INFORMATION FOR SEQ ID NO:30:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:	
AAAACTTCTA CCAACAATGG	20
(2) INFORMATION FOR SEQ ID NO:31:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:	
CGTAATCTCT CTCGATTAGC	20
(2) INFORMATION FOR SEQ ID NO:32:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:	
CCGTGGGATG GCTACTTGCC	20

	(c) interest for the bly in no.33.	
	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:	
TGGATT	TGTG GCACGAGCGG	20
	(2) INFORMATION FOR SEQ ID NO:34:	
	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:	
TTGATT	GCCT CTCCTCGTCC	20
	(2) INFORMATION FOR SEQ ID NO:35:	
	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:	
ATCAACA	ATCT GATTGATTCC	20
	(2) INFORMATION FOR SEQ ID NO:36:	
	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 32 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:	
CAGCGAG	GCGC ATGCAACTAT ATATTGAGCA GG	32

(2) INFORMATION FOR SEQ ID NO:37:

<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 41 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:	
AATAAATATT TAAATATTCA GATATACCCT GAACTCTACA G	4
(2) INFORMATION FOR SEQ ID NO:38:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 45 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:	
AAACTGTAGA GTTCAGGGTA TATCTGAATA TTTAAATATT TATTC	4 !
(2) INFORMATION FOR SEQ ID NO:39:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 34 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:	
GTACGTGGAG CTCTGCAACT ATATATTGAG CAGG	34
(2) INFORMATION FOR SEQ ID NO:40:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 32 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:	
ATGACACTGC AGGATAGTTC CCTTCGTTCG GG	32

(2) INFORMATION FOR SEQ ID NO:41:

<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:	
GTGTTGCATC AGTTCATTCC	2
(2) INFORMATION FOR SEQ ID NO:42:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:	
GCTGTGCTAG AAGTCAGAGG	2
(2) INFORMATION FOR SEQ ID NO:43:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:	
GTTCTCCTTG GAATTCATCC	20
(2) INFORMATION FOR SEQ ID NO:44:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 32 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:	
AGTATATCTA GATGTGCGAG TCTCTGCCAA TT	32

(2) INFORMATION FOR SEQ ID NO:45:

<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:	
AGTAATTGTA CATTTAGTGG	20
(2) INFORMATION FOR SEQ ID NO:46:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:	
ATTAACCTTA CTTACTTACC	20
(2) INFORMATION FOR SEQ ID NO:47:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:	
CTAAACTAAG TAATATAACC	20
(2) INFORMATION FOR SEQ ID NO:48:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:	
GTTGATTCTT TGAGCACTGG	20

(2) INFORMATION FOR SEQ ID NO:49:

<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:	
AATTCGACCA ATTACATTGG	20
(2) INFORMATION FOR SEQ ID NO:50:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:	
AACATAGTTG TTGAGGAAGG	20
<ul> <li>(2) INFORMATION FOR SEQ ID NO:51:</li> <li>(i) SEQUENCE CHARACTERISTICS: <ul> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul> </li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:	
AATTAATGGA GATTCTACGG	20
<ul> <li>(2) INFORMATION FOR SEQ ID NO:52:</li> <li>(i) SEQUENCE CHARACTERISTICS: <ul> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul> </li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:	
TCAGCATCTA GAAATGCAGG	20

(2) INFORMATION FOR SEQ ID NO:53:

(i) SEQUENCE CHARACTERISTICS:

<ul><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:	
CGAATGTCAA CATTCACTGG	20
(2) INFORMATION FOR SEQ ID NO:54:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:	
CTTAACCTGA TGTGTACTCG	20
(2) INFORMATION FOR SEQ ID NO:55:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:	
ATGAAGCTTT AGAGGATGCC	20
(2) INFORMATION FOR SEQ ID NO:56:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:	
CGACGAATTT CTGGAGTCGG	20

(2) INTORNATION FOR SEQ ID NO:57:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:	
ACTGCATTAT CCATTAATCC	20
(2) INFORMATION FOR SEQ ID NO:58:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:	
CACCCAAATA ACATCTATCC	20
(2) INFORMATION FOR SEQ ID NO:59:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:	
TTTAACCTCA TCTTCGCTGG	20
(2) INFORMATION FOR SEQ ID NO:60:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 20 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:	
ATGTTCCGCA AGCTTGGTTC	20

[]
1
U
==
Ш
U
ļaš
EI.
[]
Ш
Ш
IJ
1=1

(2)	INFORMATION	FOR	SEO	תד	NO.61.
. – ,	TALE OFGERT TOTA	T O R	SEU	1 LJ	NUTERIOR

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

# TTTAATTACC CAAGTTTGAG

20

- (2) INFORMATION FOR SEQ ID NO:62:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

TTTTAACCCA GTTACTCAAG

20